

*Bass*

UNITED STATES DEPARTMENT OF AGRICULTURE  
SOIL CONSERVATION SERVICE

Agricultural Research Center  
Beltsville, Maryland

Classification and Correlation of the Soils of

Scott County, Indiana

---

An intermediate correlation was sent forward by J. K. Ableiter on April 3, 1959. Following review of this intermediate correlation, questions about concepts of certain series, distinctions among miscellaneous land type separations, and bases for certain phases were considered in correspondence among Ableiter, Bass, Matek, Rogers, Ulrich, and Simonsen. The final correlation is being approved on the basis of the intermediate correlation and the subsequent correspondence.

Symbol	Field Name	Approved Name
91-A-0	Atkins silt loam, nearly level phase	Atkins silt loam ✓
572-A-1	Avonburg silt loam, nearly level phase	Avonburg silt loam, 0 to 2 percent slopes ✓
572-A-2	Avonburg silt loam, nearly level, moderately eroded	)
572-B-1	Avonburg silt loam, gently sloping phase	Avonburg silt loam, 2-to 6 percent slopes ✓
602-B-1	Whitcomb silt loam, gently sloping phase	)
572-B-2	Avonburg silt loam, gently sloping, moderately eroded	Avonburg silt loam, 2 to 6 percent slopes, moderately eroded
602-B-2	Whitcomb silt loam, gently sloping moderately eroded	)
603-A-1	Cana silt loam, nearly level phase	Cana silt loam, 0 to 2 percent slopes
603-A-2	Cana silt loam, nearly level, moderately eroded	)
603-B-1	Cana silt loam, gently sloping phase	Cana silt loam, 2 to 6 percent slopes
603-B-2	Cana silt loam, gently sloping, moderately eroded	Cana silt loam, 2 to 6 percent slopes, moderately eroded

2-Scott County, Indiana

Symbol	Field Name	Approved Name
603-B-3	Cana silt loam, gently sloping, severely eroded	Cana soils, 2 to 6 percent slopes, severely eroded
574-B-1	Cincinnati silt loam, gently sloping phase	Cincinnati silt loam, 2 to 6 percent slopes
574L-B-1	Cincinnati silt loam (leached), gently sloping phase	)
574-B-2	Cincinnati silt loam, gently sloping, moderately eroded	Cincinnati silt loam, 2 to 6 percent slopes, moderately eroded
574L-B-2	Cincinnati silt loam (leached), gently sloping, moderately eroded phase	)
1/ 574-B-3	Cincinnati silt loam, gently sloping, severely eroded	)
574-C-1	Cincinnati silt loam, sloping phase	Cincinnati silt loam, 6 to 12 percent slopes
574-C-2	Cincinnati silt loam, sloping, moderate eroded phase	Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded
574-C-3	Cincinnati silt loam, sloping, severely eroded	Cincinnati soils, 6 to 12 percent slopes, severely eroded
574-D-1	Cincinnati silt loam, strongly sloping phase	Cincinnati silt loam, 12 to 18 percent slopes
574-D-2	Cincinnati silt loam, strongly sloping phase, moderately eroded	Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded
574-D-3	Cincinnati silt loam, strongly sloping phase, severely eroded	Cincinnati soils, 12 to 18 percent slopes, severely eroded
574-E-1	Cincinnati silt loam, steep phase	Cincinnati silt loam, 18 to 25 percent slopes
574-E-2	Cincinnati silt loam, steep, moderately eroded phase	Cincinnati silt loam, 18 to 25 percent slopes, moderately eroded

1/

Add erosion symbols to delineations of this unit.

3-Scott County, Indiana

Symbol	Field Name	Approved Name
574-Z-3	Cincinnati silt loam, steep, severely eroded phase	Cincinnati soils, 15 to 25 percent slopes, severely eroded
574-Y-1	Cincinnati silt loam, very steep )	Cincinnati silt loam, 25 to 35 percent slopes
574-G-1	Cincinnati silt loam, extremely ) steep phase	)
574-Y-2	Cincinnati silt loam, very steep )	Cincinnati silt loam, 25 to 35 percent slopes,
574-Y-3	Cincinnati silt loam, very steep ) severely eroded phase	) moderately eroded
571-A-1	Clermont silt loam, nearly level phase	Clermont silt loam
686-D-3	Colyer silt loam, strongly sloping,) severely eroded	Colyer soils, 12 to 25 percent slopes
686-D-4	Colyer silt loam, strongly sloping,) very severely eroded	)
686-E-1	Colyer silt loam, steep	)
686-E-3	Colyer silt loam, steep, severely eroded	)
686-E-4	Colyer silt loam, steep, very severely eroded	)
686-F-1	Colyer silt loam, very steep phase )	Colyer soils, 25 to 60 percent slopes
686-F-1	Jennings silt loam, very steep phase)	)
686-F-1	Mabb silt loam, very steep phase	)
686-F-2	Colyer silt loam, very steep, moderately eroded	)
686-F-2	Jennings silt loam, very steep, moderately eroded	)
686-F-2	Mabb silt loam, very steep, moderately eroded	)
686-F-3	Colyer silt loam, very steep severely eroded	)
686-F-3	Jennings silt loam, very steep, severely eroded	)
686-G-1	Colyer silt loam, extremely steep phase	)
686-G-1	Jennings silt loam, extremely steep phase	)
686-G-1	Mabb silt loam, extremely steep phase	)
686-G-2	Jennings silt loam, extremely steep, moderately eroded	)

Why there  
Nabb?

?

4-Scott County, Indiana

Symbol	Field Name	Approved Name (Continued)
684-C-2	Babb silt loam, extremely steep, moderately eroded	Colyer soils, 25 to 60 percent slopes ✓
686-C-4	Colyer silt loam, extremely steep, very severely eroded	
712-A-1	Bartle silt loam, nearly level phase	Dubois silt loam, 0 to 2 percent slopes ✓
712-A-2	Bartle silt loam, nearly level, moderately eroded	
712-B-1	Bartle silt loam, gently sloping phase	Dubois silt loam, 2 to 6 percent slopes ✓
712-B-2	Bartle silt loam, gently sloping, moderately eroded	Dubois silt loam, 2 to 6 percent slopes, moderately eroded
594-B-1	Grayford silt loam, gently sloping phase	Grayford silt loam, 2 to 6 percent slopes ✓
594-B-2	Grayford silt loam, gently sloping, moderately eroded	Grayford silt loam, 2 to 6 percent slopes, moderately eroded
594-C-2	Grayford silt loam, sloping, moderately eroded	Grayford silt loam, 6 to 12 percent slopes, moderately eroded
646-C-2	Corydon silt loam, sloping, moderately eroded	
594-C-3	Grayford silt loam, sloping, severely eroded	Grayford soils, 6 to 12 percent slopes, severely eroded
594-D-1	Grayford silt loam, strongly sloping phase	Grayford silt loam, 12 to 18 percent slopes, moderately eroded
594-D-2	Grayford silt loam, strongly sloping, moderately eroded	
594-D-3	Grayford silt loam, strongly sloping, severely eroded	Grayford soils, 12 to 18 percent slopes, severely eroded
594-E-1	Grayford silt loam, steep phase	Grayford silt loam, 18 to 25 percent slopes ✓

5-Scott County, Indiana

Symbol	Field Name	Approved Name
594-H-2	Grayford silt loam, steep, moderately eroded	Grayford silt loam, 18 to 35 percent slopes, moderately eroded
594-E-3	Grayford silt loam, steep, severely eroded	
594-F-2	Grayford silt loam, very steep, moderately eroded	
594-F-1	Grayford silt loam, very steep phase	Grayford silt loam, 25 to 35 percent slopes
646-F-1	Corydon silt loam, very steep phase	
603-B-4	Carr silt loam, gently sloping, very severely eroded	Gullied land, acid shale materials
604-B-4	Jennings silt loam, gently sloping, very severely eroded	
604-C-4	Jennings silt loam, sloping, very severely eroded	
664-C-4	Zanesville silt loam, sloping, very severely eroded	
684-C-4	Hubb silt loam, sloping, very severely eroded	
574L-C-4	Cincinnati silt loam (leached), sloping, very severely eroded	
574L-D-4	Cincinnati silt loam (leached), strongly sloping, very sev. eroded	
604-D-4	Jennings silt loam, strongly sloping, very severely eroded	
674-D-4	Wellston silt loam, strongly sloping, very severely eroded	
664-D-4	Zanesville silt loam, strongly sloping, very severely eroded	
684-D-4	Hubb silt loam, strongly sloping, very severely eroded	
604-B-4	Jennings silt loam, steep, very severely eroded	
674-E-4	Wellston silt loam, steep, very severely eroded	
664-E-4	Zanesville silt loam, steep, very severely eroded	
684-E-4	Hubb silt loam, steep, very severely eroded	
824-C-4	Ox silt loam, sloping, very severely eroded	Gullied land, neutral shale materials
1014-C-4	Pigeon silt loam, sloping, very severely eroded	
824-D-4	Ox silt loam, strongly sloping, very severely eroded	
1014-D-4	Pigeon silt loam, strongly sloping, very severely eroded	

6-Scott County, Indiana

Symbol	Feld name	Approved name (Continued)
624-Y-4	Ox silt loam, steep, very severely eroded	Gullied land, neutral shale materials
1014-Z-4	Pigeon silt loam, steep, very severely eroded	)
324-Y-4	Ox silt loam, very steep, very severely eroded	)
573-B-4	Rosemyne silt loam, gently sloping, very severely eroded	Gullied land, glacial materials
574-C-4	Cincinnati silt loam, sloping, very severely eroded	)
574-D-4	Cincinnati silt loam, strongly sloping, very severely eroded	)
615-D-4	Paris silt loam, strongly sloping, very severely eroded	)
574-E-4	Cincinnati silt loam, steep, very severely eroded	)
594-X-4	Grayford silt loam, steep, very severely eroded	)
615-E-4	Paris silt loam, steep, very severely eroded	)
?	1104-G-4	Scottsburg silt loam, steep, very severely eroded
	574-F-4	Cincinnati silt loam, very steep, very severely eroded
713-A-1	Pekin silt loam, nearly level phase	Haubstadt silt loam, 2 to 6 percent slopes
713-B-1	Pekin silt loam, gently sloping phase	)
1103-B-1	Honey silt loam, gently sloping phase	)
713-B-2	Pekin silt loam, gently sloping, moderately eroded	Haubstadt silt loam, 2 to 6 percent slopes,
1103-B-2	Honey silt loam, gently sloping, moderately eroded	moderately eroded
713-B-3	Pekin silt loam, gently sloping, severely eroded	Haubstadt soils, 2 to 6 percent slopes, severely eroded
74-A-0	Haymond silt loam, nearly level phase	Haymond silt loam, 0 to 2 percent slopes
74-A-0	Haymond silt loam, shallow phase	)
74-B-0	Haymond silt loam, gently sloping phase	Haymond silt loam, 2 to 6 percent slopes
74-C-0	Haymond silt loam, sloping phase	)
74H-A-1	Haymond silt loam, high bottom, nearly level phase	Haymond silt loam, high bottom, 0 to 2 percent

7-Scott County, Indiana

Symbol	Field Name	Approved Name
74H-B-1	Raymond silt loam, gently sloping, high bottom phase	Raymond silt loam, high bottom,
74H-C-2	Raymond silt loam, sloping, mod. eroded, high bottom	2 to 6 percent slopes
574L-C-1	Cincinnati silt loam, (leached), sloping phase	Jennings silt loam, mixed substratum, 6 to 12 percent slopes
574L-C-2	Cincinnati silt loam (leached), sloping, moderately eroded	Jennings silt loam, mixed substratum, 6 to 12 percent slopes, moderately eroded
574L-C-3	Cincinnati silt loam (leached), sloping, severely eroded	Jennings soils, mixed substratum, 6 to 12 percent slopes, severely eroded
574L-D-1	Cincinnati silt loam, (leached), strongly sloping phase	Jennings silt loam, mixed substratum, 12 to 18 percent slopes
574L-D-2	Cincinnati silt loam (leached), strongly sloping, moderately eroded	Jennings soils, mixed substratum, 12 to 18 percent slopes, severely eroded
574L-D-3	Cincinnati silt loam (leached), strongly sloping, severely erod.	
574L-E-3	Cincinnati silt loam (leached), steep, severely eroded	
574L-E-1	Cincinnati silt loam (leached), steep phase	Jennings silt loam, mixed substratum, 13 to 25 percent slopes
823-A-1	Finley silt loam, nearly level phase	Jennings silt loam, heavy substratum, 2 to 6 percent slopes
823-B-1	Finley silt loam, gently sloping	
824-B-1	Ox silt loam, gently sloping	
823-B-2	Finley silt loam, gently sloping, moderately eroded	Jennings silt loam, heavy substratum, 2 to 6 percent slopes, moderately eroded
824-B-2	Finley silt loam, gently sloping, moderately eroded	
823-B-3	Finley silt loam, gently sloping, severely eroded	
824-C-1	Ox silt loam, sloping phase	Jennings silt loam, heavy substratum, 6 to 12 percent slopes

8-Scott County, Indiana

Symbol	Field Name	Approved Name
824-C-2	Jinley Ox silt loam, sloping, moderately eroded	Jennings silt loam, heavy substratum, 6 to 12 percent slopes, moderately eroded
824-C-3	Jinley Ox silt loam, sloping, severely eroded	Jennings soils, heavy substratum, 6 to 12 percent slopes, severely eroded
824-D-1	Jinley Ox silt loam, strongly sloping phase	Jennings silt loam, heavy substratum, 12 to 16 percent slopes
824-D-2	Jinley Ox silt loam, strongly sloping, moderately eroded	Jennings silt loam, heavy substratum, 12 to 16 percent slopes, moderately eroded
824-D-3	Jinley Ox silt loam, strongly sloping, severely eroded	Jennings soils, heavy substratum, 12 to 16 percent slopes, severely eroded
824-E-1	Jinley Ox silt loam, steep phase	Jennings silt loam, heavy substratum, 18 to 25 percent slopes
824-E-2	Jinley Ox silt loam, steep, moderately eroded	Jennings soils, heavy substratum, 18 to 25 percent slopes, severely eroded
824-E-3	Jinley Ox silt loam, steep, severely eroded	Jennings soils, heavy substratum, 18 to 25 percent slopes, severely eroded
824-F-1	Jinley Ox silt loam, very steep phase	Jennings silt loam, heavy substratum, 25 to 35 percent slopes
604-B-1	Jennings silt loam, gently sloping phase	Jennings silt loam, 2 to 6 percent slopes
604-B-2	Jennings silt loam, gently sloping, moderately eroded phase	Jennings silt loam, 2 to 6 percent slopes, moderately eroded
604-B-3	Jennings silt loam, gently sloping, severely eroded	Jennings soils, 2 to 6 percent slopes, severely eroded
604-C-1	Jennings silt loam, sloping phase	Jennings silt loam, 6 to 12 percent slopes
603-C-1	Cana silt loam, sloping phase	

9-Scott County, Indiana

Symbol	Field Name	Averaged Name
604-C-2	Jennings silt loam, sloping, moderately eroded	Jennings silt loam, 6 to 12 percent slopes, moderately eroded
603-C-2	Cana silt loam, sloping, moderately eroded	
604-C-3	Jennings silt loam, sloping, severely eroded	Jennings soils, 6 to 12 percent slopes, severely eroded
603-C-3	Cana silt loam, sloping, severely eroded	
604-D-1	Jennings silt loam, strongly sloping phase	Jennings silt loam 12 to 18 percent slopes
604-D-2	Jennings silt loam, strongly sloping, moderately eroded	Jennings silt loam, 12 to 18 percent slopes, moderately eroded
604-D-3	Jennings silt loam, strongly sloping, severely eroded	Jennings soils, 12 to 18 percent slopes, severely eroded
604-E-1	Jennings silt loam, steep phase	Jennings and Colyer silt loams, 18 to 25 percent slopes
604-E-2	Jennings silt loam, steep, moderately eroded	Jennings and Colyer silt loams, 18 to 25 percent slopes, moderately eroded
604-E-3	Jennings silt loam, steep, sev. eroded	Jennings and Colyer soils, 18 to 25 percent slopes, severely eroded
662-A-1	Johnsbury silt loam, nearly level phase	Johnsbury silt loam
662-A-2	Johnsbury silt loam, nearly level moderately eroded	
662-B-1	Johnsbury silt loam, gently sloping phase	
1016-D-1	Kinderhook silt loam, strongly sloping phase	Kinderhook silty clay loam, 12 to 18 percent slopes
1016-D-2	Kinderhook silt loam, strongly sloping, moderately eroded phase)	

10-Scott County, Indiana

Symbol	Field Name	Approved Name
1016-E-1	Kinderhook silt loam, steep phase	
1016-E-2	Kinderhook silt loam, steep, moderately eroded	
1016-E-3	Kinderhook silt loam, steep, severely eroded	
1016-F-1	Kinderhook silt loam, very steep phase	
1016-F-3	Kinderhook silt loam, very steep, severely eroded	
572-A-0	Avocburg silt loam, nearly level disturbed phase	
683-A-0	Byington silt loam, nearly level disturbed phase	
603-A-0	Cana silt loam, nearly level disturbed phase	
712-B-0	Bertie silt loam, gently sloping disturbed phase	Made land
683-B-0	Byington silt loam, gently sloping disturbed	
615-B-0	Parko silt loam, gently sloping disturbed phase	
574-B-0	Cincinnati silt loam, gently sloping disturbed	
573-B-0	Rossmoyne silt loam, gently sloping disturbed	
574-C-0	Cincinnati silt loam, sloping disturbed phase	
604-C-0	Jennings silt loam, sloping disturbed phase	
664-C-0	Sabu silt loam, sloping disturbed phase	
676-Y-1	Muskingum silt loam, very steep phase	
674-Y-1	Wellston silt loam, very steep phase	
676-Y-2	Muskingum silt loam, very steep, moderately eroded	
676-Y-3	Muskingum silt loam, very steep, severely eroded	
674-Y-3	Wellston silt loam, very steep, severely eroded	
676-O-1	Muskingum silt loam, extremely steep phase	
676-O-3	Muskingum silt loam, extremely steep, severely eroded	
		Muskingum silt loam, 25 to 35 percent slopes
		Muskingum silt loam, 35 to 70 percent slopes

11-Jefferson County, Indiana

<u>Symbol</u>	<u>Field Name</u>	<u>Approved Name</u>
714-B-1	Elkinsville silt loam, gently sloping phase	Otwell silt loam, 2 to 6 percent slopes
714-B-2	Elkinsville silt loam, gently sloping, moderately eroded	
714-C-1	Elkinsville silt loam, sloping phase	Otwell silt loam, 6 to 12 percent slopes,
714-C-2	Elkinsville silt loam, moderately eroded, sloping	moderately eroded
713-C-2	Pekin silt loam, sloping, moderately eroded	
1104-C-2	Scottsburg silt loam, sloping moderately eroded	
714-C-3	Elkinsville silt loam, sloping, severely eroded	Otwell soils, 6 to 12 percent slopes,
713-C-3	Pekin silt loam, sloping, severely eroded	severely eroded
1104-C-3	Scottsburg silt loam, sloping, severely eroded	
714-D-1	Elkinsville silt loam, strongly sloping phase	Otwell silt loam, 12 to 18 percent slopes
1104-D-1	Scottsburg silt loam, strongly sloping phase	
1104-D-2	Scottsburg silt loam, strongly sloping, moderately eroded	
714-D-3	Elkinsville silt loam, strongly sloping, severely eroded	Otwell soils, 12 to 18 percent slopes,
1104-D-3	Scottsburg silt loam, strongly sloping, severely eroded	severely eroded
? { 714-E-1	Elkinsville silt loam, steep phase	Otwell silt loam, 18 to 25 percent slopes
1104-E-1	Scottsburg silt loam, steep phase	
? { 714-E-3	Elkinsville silt loam, steep, severely eroded	Otwell soils, 18 to 25 percent slopes,
1104-E-3	Scottsburg silt loam, steep, severely eroded	severely eroded
615-B-2	Parke silt loam, gently sloping, moderately eroded	Parke silt loam, 2 to 6 percent slopes, moderately eroded
615-C-1	Parke silt loam, sloping phase	Parke silt loam,
615-C-2	Parke silt loam, sloping, moderately eroded	6 to 12 percent slopes, moderately eroded

12-Scott County, Indiana

Symbol	Field Name	Approved Name
615-C-3	Parke silt loam, sloping, severely eroded phase	Parke soils, 6 to 12 percent slopes, severely eroded.
615-D-1	Parke silt loam, strongly sloping phase	Parke silt loam, 12 to 18 percent slopes
615-D-2	Parke silt loam, strongly sloping, moderately eroded	
615-D-3	Parke silt loam, strongly sloping severely eroded	Parke soils, 12 to 18 per slopes, severely eroded
615-E-3	Parke silt loam, steep, severely eroded	
615-E-1	Parke silt loam, steep phase	Parke silt loam, 18 to 25 percent slopes
615-E-2	Parke silt loam, steep, moderately eroded	
615-F-1	Parke silt loam, very steep phase	
93-A-0	Philo silt loam, nearly level phase	Philo silt loam, 0 to 2 percent slopes
93-B-0	Philo silt loam, gently sloping phase	Philo silt loam, 2 to 6 percent slopes
94-A-0	Pope silt loam, nearly level phase	Pope silt loam
94-B-0	Pope silt loam, gently sloping phase	
711-A-1	Peoga silt loam, nearly level phase	Robinson silt loam
573-A-1	Rossmoyne silt loam, nearly level phase	Rossmoyne silt loam 0 to 2 percent slopes
573-A-2	Rossmoyne silt loam, nearly level, moderately eroded	
573-B-1	Rossmoyne silt loam, gently sloping phase	Rossmoyne silt loam, 2 to 6 percent slopes
573-B-2	Rossmoyne silt loam, gently sloping, moderately eroded	Rossmoyne silt loam, 2 to 6 percent slopes, moderately eroded
573-B-3	Rossmoyne silt loam, gently sloping, severely eroded	Rossmoyne soils, 2 to 6 percent slopes, severely eroded
573-C-1	Rossmoyne silt loam, sloping phase	Rossmoyne silt loam, 6 to 12 percent slopes,
573-C-2	Rossmoyne silt loam, sloping	moderately eroded

13-Scott County, Indiana

Symbol	Field Name	Approved Name
573-C-3	Rossmoyne silt loam, sloping, severely eroded	Rossmoyne soils, 6 to 12 per cent slopes, severely eroded
52-A-0	Stendal silt loam	Stendal silt loam
663-A-1	Tilsit silt loam, nearly level phase	Tilsit silt loam, 0 to 2 percent slopes
663-A-2	Tilsit silt loam, nearly level, moderately eroded	
663-B-1	Tilsit silt loam, gently sloping phase	Tilsit silt loam, 2 to 6 percent slopes
663-B-2	Tilsit silt loam, gently sloping, moderately eroded	Tilsit silt loam, 2 to 6 percent slopes,
663-B-3	Tilsit silt loam, gently sloping, severely eroded	moderately eroded
683-A-1	Eyington silt loam, nearly level phase	Tilsit silt loam, shale substratum variant, 2 to 6 percent slopes
683-A-2	Eyington silt loam, nearly level, moderately eroded	
683-B-1	Eyington silt loam, gently sloping phase	
683-B-2	Eyington silt loam, gently sloping, moderately eroded	
683-B-3	Eyington silt loam, gently sloping, severely eroded	
684-C-1	<i>Trappist</i> Habb silt loam, sloping phase	Trappist silt loam, 6 to 12 percent slopes
684-C-2	<i>Trappist</i> Habb silt loam, sloping, mod. eroded	Trappist silt loam, 6 to 12 percent slopes,
684-C-3	<i>Trappist</i> Habb silt loam, sloping, severely eroded	moderately eroded
684-D-1	<i>Trappist</i> Habb silt loam, strongly sloping phase	Trappist soils, 6 to 12 per cent slopes, severely ero
684-D-2	<i>Trappist</i> Habb silt loam, strongly sloping, moderately eroded	12 to 18 percent slopes
684-D-3	<i>Trappist</i> Habb silt loam, strongly sloping, severely eroded	Trappist silt loam, 12 to 18 percent slopes,
		moderately eroded
		Trappist soils, 12 to 18 percent slopes, severely eroded

14-Scott County, Indiana

Symbol	Field Name	Approved Name
684-S-1	Trappist Babb silt loam, steep phase	Trappist silt loam, 18 to 25 percent slopes
684-E-2	Trappist Babb silt loam, steep, moderately eroded	Trappist silt loam, 18 to 25 percent slopes, moderately eroded
684-E-3	Trappist Babb silt loam, steep, severely eroded	Trappist soils, 18 to 25 p cent slopes, severely er
1013-B-1	Pleasant silt loam, gently sloping phase	Trappist silt loam, 2 to 6 percent slopes
1014-C-1	newland Pigeon silt loam, sloping phase	Trappist silt loam, 6 to 12 percent slopes
1013-B-2	Pleasant silt loam, gently sloping, moderately eroded	Trappist silt loam, 2 to 6 percent slopes, moderately eroded
1014-C-2	newland Pigeon silt loam, sloping, moderately eroded	Trappist silt loam, 6 to 12 percent slopes, moderately eroded
1013-B-3	Pleasant silt loam, gently sloping, severely eroded	In order to be consistent, why not Trappist silt rather than Trappist soils, 6 to 12 percent slopes,
1014-C-3	Pigeon silt loam, sloping, severely eroded	severely eroded
1014-D-1	Pigeon silt loam, strongly sloping phase	Trappist silt loam, 12 to 25 percent slopes
1014-E-1	Pigeon silt loam, steep phase	
1014-D-2	Pigeon silt loam, strongly sloping, moderately eroded	Trappist silt loam, 12 to 25 percent slopes,
1014-E-2	Pigeon silt loam, steep, moderately eroded	moderately eroded
1014-D-3	Pigeon silt loam, strongly sloping, severely eroded	Trappist soils, 12 to 25 percent slopes,
1014-E-3	Pigeon silt loam, steep, severely eroded	severely eroded
72-A-0	Wakeland silt loam, nearly level ph.	Wakeland silt loam
257-A-0	Zipp silt loam, nearly level phase	
674-B-1	Wellston silt loam, gently sloping phase	Wellston silt loam, 2 to 6 percent slopes

15-Scott County, Indiana

Symbol	Field Name	Approved Name
674-C-1	Wellston silt loam, sloping	
674-C-2	Wellston silt loam, sloping, moderately eroded	}
674-D-1	Wellston silt loam, strongly sloping phase	Wellston silt loam, 12 to 18 percent slopes
674-D-2	Wellston silt loam, strongly sloping, moderately eroded	
674-D-3	Wellston silt loam, strongly sloping, severely eroded	}
674-C-3	Wellston silt loam, sloping, severely eroded	
674-E-1	Wellston silt loam, steep phase	Wellston silt loam, 18 to 25 percent slopes
674-E-2	Wellston silt loam, steep, moderately eroded	
674-E-3	Wellston silt loam, steep, severely eroded	Wellston soils, 18 to 25 percent slopes, severely eroded
602-A-1	Whitcomb silt loam, nearly level phase	
602-A-2	Whitcomb silt loam, nearly level, moderately eroded	}
73-A-0	Wilbur silt loam, nearly level phase	
73d-A-0	Wilbur silt loam, nearly level dark phase	
73c-A-0	Wilbur silt loam, shallow, nearly level phase	
73H-A-1	Wilbur silt loam, high bottom, nearly level	
73H-A-2	Wilbur silt loam, high bottom, nearly level, moderately eroded phase	
73H-B-1	Wilbur silt loam, gently sloping phase	Wilbur silt loam, high bottom, 0 to 2 percent slopes
73H-B-2	Wilbur silt loam, gently sloping, moderately eroded phase	
		Wilbur silt loam, high bottom, 2 to 6 percent slopes

16-Scott County, Indiana

Symbol	Field Name	Approved Name
664-B-1	Zanesville silt loam, gently sloping phase	Zanesville silt loam, 2 to 6 percent slopes, moderately eroded ✓
664-B-2	Zanesville silt loam, gently sloping, moderately eroded	Zanesville silt loam, 2 to 6 percent slopes, moderately eroded ✓
664-C-1	Zanesville silt loam, sloping phase	Zanesville silt loam, 6 to 12 percent slopes ✓
664-C-2	Zanesville silt loam, sloping, moderately eroded	Zanesville silt loam, 6 to 12 percent slopes, moderately eroded ✓
664-C-3	Zanesville silt loam, sloping, severely eroded	Zanesville soils, 6 to 12 percent slopes, severely eroded ✓
664-D-1	Zanesville silt loam, strongly sloping	Zanesville silt loam, 12 to 16 percent slopes ✓
664-D-2	Zanesville silt loam, strongly sloping, moderately eroded	Zanesville silt loam, 12 to 16 percent slopes, moderately eroded ✓
664-D-3	Zanesville silt loam, strongly sloping, severely eroded	Zanesville soils, 12 to 16 percent slopes, severely eroded
664-E-1	Zanesville silt loam, steep phase	Zanesville silt loam, 16 to 25 percent slopes ✓
664-E-3	Zanesville silt loam, steep, severely eroded	Zanesville soils, 16 to 25 percent slopes, severely eroded ✓

Series established by this correlation:

Kinderhook  
Trappist

Approved November 13, 1959

*Ryan Linnehan*