

Water Quality Enhancement Activity – WQL09 – Apply phosphorus fertilizer below the soil surface



Enhancement Name

This enhancement is for the application of all phosphorus fertilizer at least 3 inches deep, including manure, or as a 2X2 row starter.

Land Use Applicability

Cropland.

Benefits

Nutrient management encompasses managing the amount, source, placement, form, and timing of the application of plant nutrients and soil amendments. Nutrient management effectively utilizes available

nutrient resources to supply crops with nutrients required to efficiently produce food, forage, fiber, and cover while minimizing environmental degradation.

Nutrient management enhancement activities help agricultural production and the environment. Increased management activities will protect and enhance water quality and the biotic community that depends upon clean lakes and rivers.

Nutrient application placement is critical in order for nutrients to be available during critical crop growth stages and to meet crop yield goals. By applying phosphorus either 3 inches deep or as a 2x2 row starter, it is less vulnerable to loss in surface runoff, both in solution and attached to soil particles, therefore reducing the potential loss of nutrients to the environment.

Criteria

Implementation of this enhancement requires:

- 1) All phosphorus fertilizer, regardless of form, will be injected at least 3 inches deep below the soil surface, and/or phosphorus applied as a starter fertilizer during the planting operation will be placed in a band 2 inches to the side and 2 inches below the crop seed (commonly referred to as "2x2" placement).
- 2) Producer must have a current soil test (no more than 3 years old)
- 3) The amount of phosphorus fertilizer applied as a starter in the 2x2 placement shall not exceed the rate recommended by the Land Grant University (LGU).
- 4) The total amount of phosphorus applied shall not exceed the rate recommended by the "Land Grant University" (LGU) based on soil testing and established yield goals.



United States Department of Agriculture
Natural Resources Conservation Service

2011 Ranking Period 1

- 5) Soil surface disturbance must be minimized during phosphorous injection.

Documentation Requirements

- 1) Documentation for each Treatment area (field) and year of this enhancement describing these items:
 - Treatment acres
 - Target (planned) crop
 - Soil test results
 - Crop yields (both yield goals and measured yield)
 - Phosphorus application rates/amounts and application dates for each treatment area
 - Method used to apply phosphorous
- 2) A map showing where the activities are applied.

References

Sims, J.T. (ed.) 2005. Phosphorus: Agriculture and the Environment. Agronomy Monograph 46. ASA, CSSA, and SSSA, Madison, WI.

Indiana CSP Enhancement Supplemental Information

WQL09 – Apply Phosphorus Fertilizer Below the Soil Surface:

- Apply all phosphorus fertilizer products below the soil surface.
- Offered CSP land that is Highly Erodible Land (HEL), must still meet Conservation Compliance requirements. Addition of cover crops may assist in meeting Compliance requirement.
- Follow *Tri-State Fertilizer Recommendations for Corn, Soybeans, Wheat and Alfalfa* for all phosphorus applications.

Refer to *Residue Management and Waste Utilization* (Agry Tech Note #5) at: http://www.in.nrcs.usda.gov/intranet/TechnicalNotes/Res_Mgmt_Waste_Utilization_technote5.pdf for additional information for manure applications.